



# CBRAC Pediatric Acute Stroke Protocol Recommendations for Non-Appropriate Facilities <18 years of age

*These are guidelines; they do not supersede the Medical Director's order set.*

## Supportive Treatment

NPO

Head of bed to 30 degrees

Establish IV access

Check blood glucose

EKG

Isotonic maintenance IVF

Normotension: SBP 50<sup>th</sup>-90<sup>th</sup> percentile for age

Supplement oxygen to keep saturation >92%

Normothermia: treat > 100.9 degrees

Seizure control with any suspected seizure

Signs & Symptoms can include-Sudden onset of:

New severe headache (no known cause) New focal seizures

Multiple or prolonged seizures, status epilepticus

New focal weakness or sensory loss

New impairment in speech or language

New sudden visual loss or double vision

Determine child's last known well time

Perform Neuro Assessment for suspicion

Of Ischemic or Hemorrhagic Stroke

ED MD

Initiate rapid transport by contacting Driscoll access center with Neurology dept consultation. This will help minimize delays and reduce the overall transfer time, ensuring timely and effective care.

**Driscoll Access  
Center**

**(361) 694-5133**

*Non-Appropriate Facilities for **Pedi Stroke Patients**: FSEDs, CCMC ERs, CS ERs*